



A.R. SAVAGE & SON

Maritime Excellence Since 1945



Port Manatee Terminals



**TITAN[®]
AMERICA**





DATE: JULY 18, 2025

LOCATION: A. R. SAVAGE & SON

PRESENTED BY: ARTHUR SAVAGE

PRESENTED TO: data

COMPANY: data



A.R. SAVAGE & SON

Maritime Excellence Since 1945





1. data

2. data

3. data

4. data

5. data



A.R. SAVAGE & SON

200 Del Monte Way
Palmetto, FL 34221

Port Manatee



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:

- Draft Alongside: 39-02 MLW w/tide
- Final Approach Channel Draft: 37-08 MLW w/ tide
- Berth Length: 600 FT
- Dock Face: 600 FT x 8 FT
- Terminal Discharges with vessel cranes and terminal grabs to terminal (3) hoppers
- Average discharge rate: 120 MT per hour / per crane
- Vessels dock Starboard side
- Fresh water is available at the berth
- Bunkers by truck or barge allowed, but only after the discharge
- Provisions / Stores delivery by truck are allowed
- Terminal Security Provided by Port Manatee
- Line handlers by Port Manatee
- Lat / Long: 27°38'9.42"N / 82°33'48.56"W



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:

Draft Alongside: 39-06 MLW plus tide
Final Approach Channel Draft: 37-08 MLW w/ tide
Berth Length: 645 FT
Dock Face: 415 FT x 8 FT
Terminal Discharges with vessel cranes and vessel grabs to terminal (2) hoppers
Average discharge rate: 120 MT per hour / per crane
Vessels dock Starboard side
Fresh water is available at the berth
Bunkers by truck or barge allowed and are allowed during cargo operations
Provisions / Stores delivery by truck are allowed
Terminal Security Provided by Port Manatee
Line handlers by Port Manatee
Lat / Long: 27°38'6.41"N / 82°33'44.16"W




© 2018 Google

Google Earth

200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:

Draft Restriction Alongside: 38-00 MLW w/tide
(37-07 inside of berth 8 dock face)
Final Approach Channel Draft Restriction: 37-08 w/tide
Berth Length: 840 FT
Dock Face: 724 FT x 8 FT
Terminal Loads with one stationary gantry. The Gantry to the right has been removed
Air draft restriction is 45 ft
Average load rate: 600 MT per hour
Vessels dock Starboard side
Fresh water is available at the berth
Bunkers by truck or barge allowed and are allowed during cargo operations
Provisions / Stores delivery by truck are allowed
Terminal Security Provided by Port Manatee
Line handlers by Port Manatee
Lat / Long: 27°38'5.79"N / 82°33'36.50"W



Terminal / Berth Specs:

- Draft Restriction Alongside: 37-09 MLW plus tide
- Final Approach Channel Draft Restriction: 37-08 MLW plus tide
- Air draft restriction: 12 meters Beam Restriction: Max 29M
- Berth Length: 670 FT (Maximum Vessel Size 620 feet if No Vessels Alongside Berth 7 and 9)
- Dock Face: 500 FT x 8 FT
- Terminal discharges with (1) terminal machine - pneumatic ship unloader (FLS – Kovako)
- Average discharge rate: 3,000 MT per day
- Vessels dock Starboard side
- If there is a vessel at berth 7 or 9 those vessels have shift back to the 300 foot mark for vessel to be able to get in or out.
- Fresh water is available at the berth
- Bunkers by truck or barge allowed and are allowed during cargo operations
- Provisions / Stores delivery by truck are allowed
- Terminal Security Provided by Port Manatee
- Line handlers by Port Manatee
- Lat / Long: 27°38'2.91"N / 82°33'31.12"W



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:


Draft Restriction Alongside: 39-08 MLW plus tide (37-10 within 50Ft of berth 8)

Approach Channel Draft Restriction: 37-08 plus tide

Berth Length: 808 FT

Dock Face: 708 FT x 8 FT

Lat / Long: 27°37'58"N / 82°33'39"W



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:

Draft Restriction Alongside: 39-03 MLW plus tide
Channel Draft Restriction: 37-08 FT – Plus tide
Berth Length: 780 FT
Dock Face: 595 FT x 8 FT
Lat / Long: 27°37'58"N / 82°33'39"W



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:


Draft Alongside: 34-00 MLW plus tide

Berth Length: 681 FT

Dock Face: 581 FT x 8 FT

Average load rate: MT per hour

Lat / Long: 27°37'55"N / 82°33'49"W



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:

Draft Alongside: 38-00 MLW plus tide

Final Approach Channel Draft: 37-08 MLW plus tide

Berth Length: 1250 FT

Dock Face: 950 FT x 8 FT

Average load rate: MT per hour

Lat / Long: 27°37'49"N / 82°33'49"W



200 Del Monte Way
Palmetto, FL 34221

Terminal / Berth Specs:

Draft Alongside: 36-08 MLW plus tide

Final Approach Channel: 37-08 MLW plus tide

Berth Length: 790 FT

Dock Face: 790 FT x 8 FT

Lat / Long: 27°37'49"N / 82°33'49"W





THANK YOU



**A. R. SAVAGE & SON CORPORATE
SHOWCASE PRESENTATION**

© Copyright 2025-2026

Published by A. R. Savage & Son, LLC.

Tampa Main Office
201 N. Armenia Avenue
Tampa, FL 33609
arsavage.com

All rights reserved. Except as permitted under the U.S. Copyright Act of 1976, no part of this publication may be reproduced, distributed, or transmitted in any form, by any means, or stored in a database or retrieval system, without publishers' prior written permission.

For inquiries, please call:
Tel: 813.247.4550
inquiries@arsavage.com



A.R. SAVAGE & SON
Maritime Excellence Since 1945

